

DuraMAX[™] 2v

High Efficiency Minipleat Filter



Medium and High Efficiency

The DuraMAX 2v is an extended surface air filter engineered to provide maximum performance and prolonged filter lifecycles in office buildings, hospitals, paint booths, gas turbine/power generation and all types of commercial and industrial HVAC applications.

Low Pressure Drop Reduces Energy Costs

DuraMAX 2v provides a superior combination of low pressure drop and high efficiency through the use of our unique minipleat design. This high capacity minipleat design allows a nominal 24x24x12 DuraMAX 2v to incorporate 106 square feet of media. This extended surface design ensures low resistance to airflow and reduced energy costs to the user.

All Plastic Frame is Durable and Incinerable

The durable, all-plastic frame makes the DuraMAX 2v the filter of choice in filtration systems with high velocities, variable air volumes, high moisture, or in areas where the user desires to incinerate the filters after use.

High Efficiency Microfiberglass Filter Media

Provides high efficiency and superior dust holding capacity for prolonged service life. DuraMAX 2v is also available with 100% Synthetic Filter Media. Please consult DuraMAX 2vS Bulletin.

FEATURES

MERV 11-15 efficiency

High efficiency microfiberglass

Low pressure drop reduces energy costs

All plastic frame construction

Incinerable

Superior dust holding and prolonged filter life



DuraMAX[™] 2v Performance Data

Nominal Size (HxWxD)	Actual Size (HxWxD)	Air Flow Capacity (CFM) @500 FPM	Initial Resistance (in. w.g.) @500 FPM	Media Area (sq. ft.)
	D	ouraMAX 2v 98 - MERV 15	;	
24x24x12	23.38 x 23.38 x 12	2000	.80	106
20x24x12	19.38 x 23.38 x 12	1675	.80	85
12x24x12	11.38 x 23.38 x 12	1000	.80	50
	D	uraMAX 2v 95 - MERV 14	ļ.	
24x24x12	23.38 x 23.38 x 12	2000	.43	106
20x24x12	19.38 x 23.38 x 12	1675	.43	85
12x24x12	11.38 x 23.38 x 12	1000	.43	50
	C	uraMAX 2v 85 - MERV 13	}	
24x24x12	23.38 x 23.38 x 12	2000	.38	106
20x24x12	19.38 x 23.38 x 12	1675	.38	85
12x24x12	11.38 x 23.38 x 12	1000	.38	50
	Ľ	OuraMAX 2v 75 - MERV 12	2	
24x24x12	23.38 x 23.38 x 12	2000	.28	106
20x24x12	19.38 x 23.38 x 12	1675	.28	85
12x24x12	11.38 x 23.38 x 12	1000	.28	50
	D	uraMAX 2v 65 - MERV 11		
24x24x12	23.38 x 23.38 x 12	2000	.23	106
20x24x12	19.38 x 23.38 x 12	1675	.23	85
12x24x12	11.38 x 23.38 x 12	1000	.23	50

8401 Air Commerce Drive, Louisville KY 40219 | toll free: 800.757.5624 | phone: 502.634.4796 | Fax: 502.969.2364 info@kochfilter.com | www.kochfilter.com